

Compact – low-priced – efficient

ASTERIA 1000

The new wet technology system ASTERIA 1000 offers plenty of power at an unbelievable price. This could be achieved thanks to new, innovative, optimized technology of the handpieces. The ideal device for starting wet technology or the perfect second device for your institute.



Podiatry case „ASmobil“



Features ASTERIA 1000:

- 30.000 rpm
- Fine spray, also when distilled water is used
- Easy-removable water tank
- clearly arranged control panel. ASTERIA 1000 is the ideal system for an entrance into the wet technique, or the perfect second machine for your office or mobile use.
- fits all cases of the PEDO Sprint line

Technical data:

Current: 230 V alternating current / 50 - 60 Hz
 Number of revs: 8.000 - 30.000 rpm
 Weight: 3,5 kg
 Dimensions (cm): W 22 x D 18 x H 14

Features „ASmobil“:

- Dimensions (cm): H 39,5 x W 48 x D 16,5
- Weight: 5,5 kg

8924 Podiatry case „ASmobil“ for Asteria 1000

1480	ASTERIA 1000
Item No.	Accessories
8924	Podiatry case „ASmobil“
1630	Podiatry case „SMARTCASE“
8913.12	Podiatry case „MINIPRAX“
8913.78	Podiatry case „DAS RAUMWUNDER“
8211.024	Foot switch
8334.007	Aqua Destillata, 5 L canister
8334.001	Podo-Liquid, 5 L canister
9320.600	CARE&CLEAN NT-Spezial, 100 ml bottle

High performance wet technology for the professional footcare.

PEDOSPRAY NT 40

Powerful wet-technology appliance, combining the success of the „PEDOSPRAY NT 40“ optionally available with a newly developed hand-held light.



Podiatry case „NTmobil“

Features for PEDOSPRAY NT 40:

- NSK handpiece (Art. No. 1500.2) with the latest generation of brush-free micromotor, virtually wear-free, and no further carbon replacement necessary.
- Quiet operation; high performance even at slower speeds.
- Optional: Tip of the handpiece fitted with LED light halo for illuminating the working area (can also be disabled).
- Individual spray regulation.
- Right/left operation.
- Foot switch attachment (Item No. 8211.021).
- Keyboard with hygienic membrane coating.
- Well suitable for mobile podiatry (case not included in delivery of the appliance).

Features „NTmobil“:

- Dimensions (cm): H 39,5 x W 48 x D 16,5
- Weight: 5,5 kg

8924 Podiatry case „NTmobil“ for Für PEDOSPRAY NT 40 and NT 40 light

Technical data:

Connected load: 230 V alternating current , 50 Hz
 Speed: 8.000 - 40.000 rotations per minute, infinitely variable
 Weight: approx. 3,2 kg
 Dimensions (cm): D 25 x W 25 x H 8

1507	PEDOSPRAY NT 40
Item No.	Accessories
8922	Podiatry case „NTmobil“
1616.5	Podiatry case „de Luxe“
9320.600	CARE&CLEAN NT-Spezial, 100 ml bottle
8211.024	Foot switch
8334.001	Podo-Liquid, 5 L canister
8334.007	Aqua Destillata, 5 L canister

Wet technique and light for convenient working

PEDOSPRAY NT 40 light

Powerful wet technology system based on the „PEDOSPRAY NT 40“ with a light handpiece.



Podiatry case „NTmobil“



Features for PEDOSPRAY NT 40 light:

- NSK handpiece (Art. No. 1500.2) with the latest generation of brush-free micromotor, virtually wear-free, and no further carbon replacement necessary.
- Quiet operation; high performance even at slower speeds.
- Tip of the handpiece fitted with LED light halo for illuminating the working area (can also be disabled).
- Individual spray regulation.
- Right/left operation.
- Foot switch attachment (Item No. 8211.021).
- Keyboard with hygienic membrane coating.
- Well suitable for mobile podiatry (case not included in delivery of the appliance).

Features „NTmobil“:

- Dimensions (cm): H 39,5 x W 48 x D 16,5
- Weight: 5,5 kg

8924 Podiatry case „NTmobil“
for Für PEDOSPRAY NT 40 and NT 40 light

Technical data:

Connected load: 230 V alternating current , 50 Hz
 Speed: 8.000 - 40.000 rotations per minute,
 infinitely variable
 Weight: approx. 3,2 kg
 Dimensions (cm): D 25 x W 25 x H 8

Item No.	Accessories
1507.2	PEDOSPRAY NT 40 light
8922	Podiatry case „NTmobil“
1616.5	Podiatry case „de Luxe“
9320.600	CARE&CLEAN NT-Spezial, 100 ml bottle
8211.024	Foot switch
8334.001	Podo-Liquid, 5 L canister
8334.007	Aqua Destillata, 5 L canister

SÜDATRONIC series

Comfort

Handpiece tip and micromotor separable
 OMNICUT-Attachment possible
 Autoclavable handpiece tip



SÜDATRONIC Comfort

The short and more comfortable Profi-Line handpiece PX65 in conjunction with the NBX micromotor is characterized by its load capacity. Both components are perfectly suitable for continuous working.

Equipment features:

Item No. 1530.6 in **Comfort version**, with PX65 Profi-Line handpiece as well as NBX micromotor for particularly demanding tasks

Technical data:

Connected load: 230 V alternating current, 50 Hz
 Speed: 5.000 - 40.000 rotations per minute,
 infinitely variable
 Weight: 4 kg (incl. handpieces)
 Dimensions (cm): W 26,9 x D 19,5 x H 13,5

1540.6 SÜDATRONIC Comfort

SÜDATRONIC series

Starlight

- Light function
- Handpiece tip and micromotor separable
- OMNICUT-Attachment possible
- Autoclavable handpiece tip



Starlight Power

- Lightweight titanium case
- Brushless micromotor
- Light function
- CLEAN HEAD system
- Handpiece tip and micromotor separable
- OMNICUT-Attachment possible
- Completely autoclavable



SÜDATRONIC Starlight

The short and more comfortable Profi-Line handpiece PX65 in conjunction with the NBX LED micromotor is distinguished by its integrated lighting system. An optimal illumination of the field of action is possible by light system and light motor.

Equipment features:
Item No. 1530.8 in Starlight version, with PX65 Profi-Line light handpiece and NBX LED micro motor

Technical data:
Connected load: 230 V alternating current, 50 Hz
Speed: 5.000 - 40.000 rotations per minute, infinitely variable
Weight: 4 kg (incl. handpieces)
Dimensions (cm): W 26,9 x D 19,5 x H 13,5

1540.8 SÜDATRONIC Starlight

SÜDATRONIC Starlight Power

The professional line light hand piece PX65L has been designed to be combined with the extra lightweight and compact NLX nano light motor, which delivers precise, vibration-free and quiet operation whilst at the same time giving the highest possible level of comfort when under high strain. The light, ergonomically optimal titanium casing ensures additional effortless operation and the integrated light system provides optimal illumination of the treatment area. The CLEAN-HEAD system prevents the penetration of liquids and protects against contamination. Sterilisation using an autoclave.

Equipment features:
Item No. 1530.10 in Starlight-power version, with dental light power handpiece and dental Power micro motor

Technical data:
Connected load: 230 V alternating current, 50 Hz
Speed: 8.000 - 40.000 rotations per minute, infinitely variable
Weight: 4 kg (incl. handpieces)
Dimensions (cm): W 26,9 x D 19,5 x H 13,5

1540.10 SÜDATRONIC Starlight Power